## THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Northrup, King & Co.

Wilhereas, There has been presented to the

### Socretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED MAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF SEVENTEEN YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT LIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT.

E UNITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS

UNITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS BY THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'S1578'

In Testimony Withercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this 28th day of September in the year of our Lord one thousand nine hundred and seventy-seven

Aust. Rollin

No.

Commissioner Plant Variety Protection Office Grain Division

Agricultural Marketing Service

Secretary of Agriculture

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
GRAIN DIVISION
PLANT VARIETY PROTECTION OFFICE
NATIONAL AGRICULTURAL LIBRARY
BELTSVILLE, MARYLAND 20705

APPLICATION FOR BLANT VARIETY PROTECTION CERTIFICATE

INSTRUCTIONS: See Reverse.  1a. TEMPORARY DESIGNATION OF	1b. VARIETY N	IAME - THE HARD	FOR OFFICE	FOR OFFICIAL USE ONLY			
VARIETY		.578	770007	in the second of the control of the second o			
2. KIND NAME	3. GENUS AND	SPECIES NAME	FILING DATE	TIME A.M.			
Soybeans	Glyci	ne Max	FEE RECEIVED	DATE			
4. FAMILY NAME (BOTANICAL)	5. DATE OF DE	TERMINATION	\$ 250.00	6-27-77			
Leguminosae	Octob	per 1975	\$ 250,00 \$ 250,00	6-27-77			
6. NAME OF APPLICANT(S)	7. ADDRESS (St Code)	reet and No. or R.F.D. No.	, City, State, and ZIP	8. TELEPHONE AREA CODE AND NUMBER			
Northrup King Co.		, Box 959 eapolis, Minn. 5	55440	612-781-8011			
			e e e e e e				
9. IF THE NAMED APPLICANT IS NOT A PE	RSON, FORM OF	10. IF INCORPORA	TED, GIVE STATE AND	11. DATE OF INCOR-			
ORGANIZATION: (Corporation, partnership,	association, etc.)	DATE OF INCO	RPORATION	PORATION			
Corporation			laware	1896			
12. Name and mailing address of applic				rr			
	No.	lenby L. White rthrup King Co. O. Box 959	55440				
13. CHECK BOX BELOW FOR EACH ATTAC	105517 01501-7						
X 13A. Exhibit A, Origin and Breed X 13B. Exhibit B, Novelty Stateme X 13C. Exhibit C, Objective Descri X 13D. Exhibit D, Additional Descri	nti ption of the Vari	ety (Request form from		,			
14A. Does the applicant(s) specify that see (See Section 83(a). (If "Yes," answer	ed of this variety er 14B and 14C b	be sold by variety name relow.)	only as a class of certifie	ed seed?			
14B. Does the applicant(s) specify that the limited as to number of generations?	is variety be	14C. If "Yes," to 14B, breeder seed?	how many generations o	of production beyond			
	YES NO	X FOUNDATION	X REGISTERED	XCERTIFIED			
15. Does the applicant(s) agree to the pu	blication of his/h		ddress in the Official Jou				
16. The applicant(s) declare(s) that a via a certificate and will be replenished	ble sample of bar periodically in ac	sic seed of this variety w cordance with such regu	ill be deposited upon rec lations as may be applica	Uest before issuance of the color of the col			
The undersigned applicant(s) is (are variety is distinct, uniform, and station 42 of the Plant Variety Act.	e) the owner(s) o	of this sexually reproduc	ed novel plant variety.	and believe(s) that the			
Applicant(s) is (are) informed that fa	lse representation	n herein can jeopardize p	protection and result in p	penalties.			
May 18, 1977	_	Cel	lenger & 1	Muto			
(DATE)			(SIGNATURE OF APPLI	00001			
(DATE)	_	<del> </del>	(SIGNATURE OF APPLI	CANT)			

#### INSTRUCTIONS

GENERAL: Send an original copy of the application, exhibits and \$250.00 fee to U.S. Dept. of Agriculture, Agricultural Marketing Service, Grain Division, National Agricultural Library, Beltsville, Maryland 20705. (See Section 180.175 of the regulations and rules of practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

#### ITEM

- 5 Give the date the applicant determined that he had a new variety based on (1) the definition in Section 41(a) of the Act and (2) the date a decision was made to increase the seed.
- Give (1), the genealogy, including public and commerical varieties, lines, or clones used, and the breeding method. (2), the details of subsequent stages of selection and multiplication. (3), the type and frequency of variants during reproduction and multiplication and state how these variants may be identified and (4), evidence of stability.
- Give a summary statement of the variety's novelty. Clearly state how this novel variety may be distinguished from all other varieties in the same crop. If the new variety most closely resembles one or a group of related varieties; (1) identify these varieties and state all differences objectively; (2) Attach statistical data for characters expressed numerically and demonstrate that these differences are significant; and (3) submit, if helpful, seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty.
- 13c Fill in the Exhibit C, Objective Description form for all characteristics, for which you have adequate data.
- Describe any additional characteristics that are not described, or whose description cannot be accurately conveyed in Exhibit C.

  Use comparative varieties as is necessary to reveal more accurately the description of characteristics that are difficult to describe; such as; plant habit, plant color, disease resistance, etc.
- 14A If "YES" is specified (seed of this variety be sold by variety name only as a class of certified seed) the applicant may NOT reverse his affirmative decision after the variety has either been sold and so labeled or published or the certificate has been issued. However, if the applicant specifies "NO", he may change his choice. (See Section 180.15 of the Regulations and Rules of Practice.)

#### 7700078

#### EXHIBIT A

#### ORIGIN AND BREEDING HISTORY OF S1578 SOYBEANS

- 1971 100 F<sub>4</sub> progeny rows from the cross "Amsoy Rps<sub>1</sub>" x "Clark 63" were grown. Amsoy Rps is a Race 1 Phytophthora-resistant line similar to Amsoy. One of these progeny rows, designated 101318, was selected on the basis of agronomic appearance and uniformity to be tested in a preliminary Maturity Group II trial.
- 1972 101318 was yield-tested at Washington and Hudson, Iowa. Based on yield, maturity, and uniformity, it was chosen as an experimental strain worthy of further testing.
- 1973 101318 was yield-tested at Hudson, Washington, and Dayton, Iowa.
- 1974 101318 was yield-tested at eight midwestern locations. It was examined for Phytophthora resistance (Race 1) in the Northrup King pathology laboratory and found to be resistant.
- 1974-75 A representative population of 101318 was grown. Since 101318 was heterogeneous for hilum color (50% yellow, 50% brown) 100 plants with brown hila were harvested individually to be grown as progeny rows in 1975.
- 1975 101318 was tested at nine midwestern locations. One hundred progeny rows were grown and carefully checked for uniformity for plant height, maturity, flower color, pubescence color, pod color, hilum color, and other characteristics. Any rows with off-type plants were discarded. The remaining rows were bulk harvested to produce pedigree seed.
- 1976 101318 was tested at eight midwestern locations. Breeder seed was produced from the pedigree seed produced in 1975. One hundred plants were harvested from this increase to initiate another cycle of pedigree seed production. The pedigree method of maintaining varietal purity will continue as long as the variety is produced.
- 1977 101318 was named S1578 and released to foundation seed growers.

S1578 is stable and uniform for all normal descriptive characteristics. A very low frequency of variants would be expected through mutation, outcrossing, or mechanical mixture. These will be prevented from becoming a significant constituent of the variety through application of the time-proven pedigree method referred to above.

PV # 7700078

Exhibit 13B.

Soybean, 'S1578'

'S1578' is most similar to 'S1474' except 'S1578' is resistant to Phytophthora megasperma, Race 1; whereas, 'S1474' is susceptible.

Cellera & White

EXHIBIT B

#### NOVELTY STATEMENT FOR S1578 SOYBEANS

S1578 is most similar to S1474 in maturity, seed coloration, and plant habit and appearance. S1578 can be differentiated from S1474 on the basis of reaction to <a href="Phytophthora">Phytophthora</a> megasperma, Race 1. S1474 is susceptible, S1578 is resistant.

Data contrasting \$1492 soybeans from other Maturity Group II varieties.

	Col		Phytophthora	
	Pubescence	Flower	Hilum	Race 1
	<del></del>			2
В216	G	W	Y	S
Wells	G	P	. IB	R
Corsoy	G	P	Y	S
Amsoy	G	P	Y	S
Amsoy 71	G	P	Y	R
S1474	B	P	(Br)	S
Harcor	G.	P	Y	R
Beeson	G	P	IB	R
SRF 200	G	P	Y	R
Harosoy	G	P	Y	S
Harosoy 63	G	P	Y	, R
Marshall	G	P	IB	<b>S</b> .
Lindarin	G	P	$\mathbf{BF}$	S
Lindarin 63	G	P	$\mathtt{BF}$	R
Hawkeye	G	P	IB	S
Hawkeye 63	G	P	IB	R
Provar	В	P	Br	S
Protana	Ğ	P	IB	R
\$1492	Ğ	W	BF	S
S1578	(B)	Ō	Br	R

Key:	G = Gray	Y = Yellow	S = Susceptible
	B = Brown	IB = Imperfect Black	R = Resistant
	<pre>W = White P = Purple</pre>	$\mathtt{Br} = \mathtt{Brown}$ $\mathtt{Bf} = \mathtt{Buff}$	

NOTE: THERE ARE AT WERST 67 ADDITIONAL VARIETIES IN THE II MATURITY GRIUP. R. P.S.

# UNITED STATES DEPARTMENT OF AGRICULTURE GRAIN SOTING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND SOTING HYATTSVILLE, MARYLAND SOTING

(57-21-8) . FORM GR-470-2

00002	ОТНЕВ (Specify)	RHIZOCTONIA TOR	WILDFIRE	вгіснт <u>О</u>	0
TARGET I BROWN TOPS	0 мояв тоя мэтг	отуне аяонтне	CANKER STEM		0
POD AND 0 ROOT KNOT		MILDEW I	OVBEAN 0	BACTERIAL	0
			Testad; 1 = Suscepti	DISEASE: (Enter 0 =Not	°l7
MM. WIDTH OF COTYLEDON		MM. LENGTH OF COTYLEDON		OE SEEDLING	Ĩ
5° C. (Place a zero in first box	S TA (Growth Chamber) AT 2	<b>L.</b>	EDFING CKOMN NMI EDFING CKOMN NMI	SIZE OF 10 DAY OLD SE (e.g. 0 2) when size is	 
$IIIV = 0I \qquad IIV = 9$	IV = 8 V =		<del>                                      </del>	1 1	
≥ III = ç II = γ	1 = 8 0 =	: <b>900A3 YTIRUTA</b> 00 = [	nahw ( e 0 .	NUMBER OF DAYS TO F	गर्व)
G =	7 ∀=1		3_949U9 = 9	Γ	7
	17. SEED PROTEIN:			HYPOCOTYL COLOR:	.9l
	2 3 = OTHER (Sp	3TAIGBMA9T	NI = 8 YHSUB = 3	] = SCENDER	ξ
	15. PLANT HABIT:		etze):	PLANT TYPES (See Rev	71
Z ] = LIGHT Z = MEDIUM 3 = DARK	ľ	THER (Specify)	= ввоми 3 = 0.	YARD= [	7
		<del></del> .	ַ סרסצּי	PLANT PUBESCENCE	13°
ED $\chi$ = CONCENTED	SCATTER SCATTER	г⊌ск	а≖6 и₩ояа=	Z NAT = [	7
3 = OTHER (Specify)	12: POD SET:			POD COLOR:	11
3 = WHITE 2 = PURPLE	евееи	зееи 3 = <b>D</b> ARK	Z = MEDINM (	ј = гіент ввееи	7
0. FLOWER COLOR:	ı.		:(as	LEAF COLOR (See rever	
THER (Specify)	ELLIPTICAL 5=0	- LANCEOLATE 4 =		] l=ovAtE 2	Ī
BAUUH				LEAFLET SHAPE:	<del></del> -
Ţ = MEDINM 3 = ΓΥβGE • Verbles):	7. LEAFLET \$1ZE (5.		⇒ СЫЕЕИ	· L	I
	1		<del></del>	COTYLEDON COLOR:	9
2 I=LIGHT 2=MEDIUM 3=DARK	BLACK		= OTHER (Specify)	6 = BLACK 7	
SHADE;	1 TOBARAGMI = C	ҮАЯӘ≂∳ иwоя	= XEFFOM 3 = E	HILUM COLOR:	[]
SEED3	язч гмаяр 8 Т				
30939 001	язч гмаяр 8 1		YNIHS = S	ן = פחדד	7
	4' SEED SIZE	<u> </u>		SEED COAT LUSTER:	3'
Z 1 = LIGHT 2 = MEDIUM 3 = DARK	4 = BLACK I	умояв = €	ζ = GREEN	] = YELLOW	I
PHADE:	<u> </u>			SEED COAT COLOR:	7
Specify)	) <del>В</del> В В В В В В В В В В В В В В В В В В	T S = E L ONGAT	JADIRAH92 = S FLATTENE	] = SPHERICAL	Ţ
* MOTES DETOM *	12tina grus		<u> </u>	SEED SHAPE:	<u>'l</u>
in the boxes below.	raciter sidt to 1912st	es the varietal cha	umber that descrii	ace the appropriate n	Id
YARIOHAT OO TEMPORALY TANA OO TEMPORALY NO TEMPORAL OO			0 <del>7</del> 755 N	Minneapolis, Mi	
	1	(ana)		P.O. Box 959	
8400044 		ete, and ZIP Code)	JOILDAILLY FR.F.D. No.; City, St.	Morthrup King (	α¥
FOR OFFICIAL USE ONLY			23,42,5400	•	₩ KI
	YCINE MAX)	20ABEYN (CT	**************************************	STRUCTIONS: See Rever	
1		SJECTIVE DESCRII			

#### EXHIBIT D

#### ADDITIONAL DESCRIPTION OF \$1578 SOYBEANS

Seed Characteristics. S1578 seeds have yellow cotyledons and shiny, yellow seed coats. Hilum color is a medium brown; it is darker than buff, but somewhat lighter than the deep brown of S1474. Seed size is larger than S1474 or Corsoy and smaller than Beeson, but about the same as Amsoy 71. Oil percentage averaged 22.9% in 1976, compared to 21.4 for S1474, 22.6 for Amsoy 71, and 22.2 for Beeson. Protein percentage averaged 39.3%, compared to 40.5 for S1474, 37.8 for Amsoy 71, and 40.8 for Beeson.

Plant Characteristics. S1578 plants are rather short, averaging about 8 cm shorter than S1474 or Corsoy, and somewhat branching in growth habit. Plants lodge somewhat less than those of Corsoy or S1474, but somewhat more than Wells or Beeson. Maturity is about the same as Beeson, or later than S1474, Corsoy, Wells, or Amsoy 71. S1578 carries the Rps, gene for resistance to Race 1 of Phytophthora root rot.

Plant shape         \$1474         Petiole angle         \$1474           Leaf shape         \$1474         \$seed size         \$Amsoy 71	HARACTER	ETY MOST CLOSELY RESEMBLES TH	CHARACTER	NAME OF VARIETY
Leaf shape S1474 Seed size Amsoy 71			Petiole angle	S1474
5 cad above 91/17/1	· · · · · · · · · · · · · · · · · · ·		Seed size	Amsoy 71
	Leaf color	S1474	Seed shape	S1474

	FOR SUBMITTED		

), GIVE DAIA I ON SC									
	NO. OF DAYS	LODGING	PLANT	LEAF	SIZE	CON	TENT	AVERAGE NO. OF PODS PER	IODINE NO.
VARIETY	TO MATURITY	-	HEIGHT	Width	Length	Protein	Oil	PLANT	
Submitted	131	2.1	96 cm			39.3	22.9 %	18	
lame of similar variety S1474		2.4	104 cm			40.5	21.4	19	

#### INSTRUCTIONS

GENERAL: The following publications may be used as a reference aid for completing this form:

- 1. Scott, Walter O. and Samuel R. Aldrich, 1970, Modern Soybean Production, The Farmer Quarterly.
- 2. Norman, A. G., 1963, The Soybean: Genetics, Breeding, Physiology, Nutrition, Management.
- 3. McKie, J. W., and K. L. Anderson, 1970, The Soybean Book.

LEAF COLOR: Nickerson's or any recognized color fan may be used to determine the leaf color of the described variety. The following Soybean varieties may be used as a guide to identify the colors listed on the form.

COLOR	VARIETY
Light Green	''Ada''
Medium Green	"Wilkin"
Dark Green	''Swift''

LEAF SIZE: The following varieties may be used as a guide to identify the relative size leaves.

SIZE	VARIETY
Small	''Amsoy''
Medium	''Bonus''
Large	''Anoka''

PLANT TYPE: The following varieties may be used as a guide to identify the plant type.

VARIETY
''Vansoy''
"Wirth"
''Adelphia''